

2-Way W-20SS Spray-All

MODEL # 918058

OVERVIEW

The 2-Way W-20SS Spray-All is a water-driven spray applicator for applying up to 2 chemical solutions on to a variety of surfaces at 3.11 GPM @ 700 PSI. This stainless steel venturi injection system uses high water pressure (400 - 1000 PSI) to draw and blend chemical concentrate into the water stream using precision metering tips. The accurately diluted solution is then projected through the discharge hose, trigger gun, wand and fan nozzle. Use the ball valves to inject the 2 chemicals separately or simultaneously.

Key Features

- Designed for spraying down medium to large sized surfaces and objects
- Designed to apply 2 separate chemicals or 2 different concentrations of the same chemical
- Chemicals can be applied separately or simultaneously by adjusting the ball valves
- Projects a chemical spray in a fan pattern for quick application (3.11 GPM @ 700 PSI)
- All stainless steel components ensure years of outstanding performance with minimal maintenance
- Industrial-strength design holds up in tough environments
- Available for a single chemical (#918054)
- See other Lafferty high water pressure chemical applicators in [Catalog 3](#)

Includes

- Stainless steel mounting bracket
- Machined stainless steel injector body
- Chemical ball valves
- 20 color-coded precision metering tips to set dilution ratios
- 50' discharge hose, trigger gun, wand & fan nozzle

OPTIONS

Stainless Steel Hose Racks

Large Stainless Steel Hose Rack # 224150

Stainless Steel Jug Racks

Jug Rack, SS, 1 Gallon, Round/Square # 224200

Jug Rack, SS, 2 1/2 Gallon # 224210

Jug Rack, SS, 5 Gallon, Round/Square # 224215

Safe Flow Lid™ for 1 Gallon Jugs

Lid, Suction Tube, and Strainer # 709101

Alternate Check Valve - EPDM Standard

Check Valve, Chemical, SS, Viton, 1/4" # 491324-V

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Dairy
- Hatchery
- Industrial
- Metal Processing
- Military
- Paper Mill
- Pharm/Bio
- And Many Other Applications!



(Trigger gun and wand are not shown to scale with unit.)

REQUIREMENTS

Chemical Concentrate

Water

Temperature up to 180°F
Pressure 400 to 1000 PSI
Flow 3.11 GPM @ 700 PSI
Supply Line 3/8"

Hose

3/8" ID x 50'

Nozzle

2520

Dilution Ratio Range

711:1 to 7:1 @ 700 PSI