

W-50SS Sanitize/Rinse/BPSS Foam Hose Drop Station

MODEL # 912127QD

OVERVIEW

The W-50SS Sanitize / Rinse / BPSS Foam Hose Drop Station is a combination system that applies one chemical as foam, another as a sanitizing spray and rinses. This venturi injection system uses boosted water pressure (125 - 350 PSI) to draw chemical concentrates into the water streams, using precision metering tips to create accurately diluted solutions and control chemical usage. Rich, clinging foam is created by injecting compressed air into the foaming solution to greatly increase volume and coverage ability. The foaming solution is projected through the foam hose and fan nozzle at distances up to 13 feet. Use the adjustable spray pattern trigger gun to project sanitizer or any other chemical solution as a "flooding spray" and rinse at full pressure. This model features removable quick-disconnect hoses.

Key Features

- Designed to foam, rinse and sanitize medium to large surfaces and objects
- Projects a medium volume of rich, clinging foam which increases chemical contact time and effectiveness
- Foaming expands the chemical and reduces over-application by providing visual assurance of coverage
- Fan pattern foam nozzle for fast coverage (up to 13' range)
- Covers up to 500 sq ft (46.5 sq m) in 1 minute
- Adjustable foam consistency (wet/dry)
- Dilutes concentrated sanitizers to the lean ratios required for no-rinse applications in food plants
- Sanitizer is projected as a "flooding spray" for full coverage
- Quick disconnects allow the hoses to be easily removed from the production floor when not in use
- Sanitize and rinse using the trigger gun with an adjustable cone/stream spray pattern
- All stainless steel components ensure durability and years of trouble-free performance
- See other boosted water pressure foamers in [Catalog 2](#)

Includes

- Stainless steel mounting bracket
- Stainless steel inlet ball valves
- Machined stainless steel foamer and sanitizer bodies
- 20 color-coded precision metering tips to set dilution ratios
- Stainless steel hose quick disconnects
- 50' Foam hose, polypropylene foam wand and fan nozzle
- 50' Rinse/Sanitize hose & heavy duty trigger gun

OPTIONS

Stainless Steel Hose Racks

Large Stainless Steel Hose Rack # 224150

Stainless Steel Jug Racks Available

Safe Flow Lid™ for 1 Gallon Jugs

Lid, Suction Tube, and Strainer # 709101

Alternate Check Valves - EPDM Standard

Check Valve, Chemical, SS, Viton, 1/4" (Sanitize) # 491324-V

Check Valve, Chemical, PP/Viton, 1/4" (Foam) # 491315

Check Valve, Air, SS, 1/4" MM (Viton / Hast) # 491306

APPLICATIONS

- Food & Beverage
- Animal Health
- Industrial
- Pharm/Bio
- And Many Other Applications!



REQUIREMENTS

Chemical Concentrate

Water

Temperature	up to 180°F
Pressure	125 to 350 PSI
Flow	13.4 GPM @ 250 PSI
Supply Line	3/4"

Compressed Air

up to 4 CFM

Hose

Sanitize	1/2" ID x 50'
Rinse	1/2" ID x 50'
Foam	3/4" ID x 50'

Nozzle

Sanitize	Trigger Gun, 1/2"
Rinse	Trigger Gun, 1/2"
Foam	65300

Dilution Ratio Range @ 250 PSI

Sanitize	1,284:1 to 7:1
Foam	679:1 to 6:1

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

laffertyequipment.com