

Stationary 612 Miniature 4-Way Fogger

MODEL # 950648

OVERVIEW

The Stationary 612 4-Way Fogger is a damp mist sprayer that uses compressed air (4.8 CFM @ 80 PSI) and venturi action to draw ready-to-use chemical solution from a nearby container and project it up to 6 feet in 4 directions. The adjustable output sprays mist (fog) into the air to cover exposed surfaces and penetrate hard-to-reach areas. This versatile unit can be permanently mounted or easily moved. The low CFM requirement allows it to be used with consumer-grade air compressors rated at 5 CFM or above.

Key Features

- Can be permanently mounted or moved for use in multiple locations
- Atomizes and sprays chemical solutions using only compressed air
- Venturi action draws pre-diluted chemical from a nearby container
- Projects up to 6' in 4 directions
- Low volume output is ideal for fogging in small areas
- Damp fog (mist) fills the air and covers exposed surfaces with chemical, including hard-to-reach areas
- *Optional* metering tips can reduce chemical usage and output wetness
- Chemical resistant polypropylene construction ensures durability and years of outstanding performance
- See [Catalog 7](#) for hand held, permanently mounted and portable foggers
- Use the Lafferty [Fogger Planning Tool](#) to design the optimal fogging system for any facility

Includes

- Polypropylene base/mounting plate
- Table standoffs
- 3/8" NPT air inlet
- (4) Machined polypropylene fogger bodies
- (4) Metering tip holders
- 6' chemical suction tube and strainer

OPTIONS

Optional Check Valves to Keep Tubes Primed

Check Valve, Chemical, PP(W), 1/4" (EPDM) # 491401

For Lighter Fog Use Metering Tips (4 Sets)

Metering Tips-Color Coded (10 Smallest) # 443794

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM) # 985100

1-Way Push Lever Mixing Station (4 GPM) # 981100

APPLICATIONS

- Disinfectants
- Sanitizers
- Agriculture/Horticulture
- Animal Health
- Dairy
- Food & Beverage
- Industrial
- Odor Control
- Pharm/Bio
- And Many Other Applications!



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air up to 4.8 CFM @ 80 PSI

Minimum Air Supply Line 3/8"

