

MODEL # 944201

### **OVERVIEW**

The Portable SS PD XVMV Foamer is an extra-high volume foam applicator that projects pre-diluted foaming chemicals on to any surface up close or at distances up to 40 feet. It is powered solely by compressed air. A stainless steel 1" air pump, with Teflon diaphragms, draws pre-diluted chemical from a static tank. Compressed air is injected into the solution to greatly increase volume and coverage ability. An incredible volume of rich clinging foam is projected through the hose, wand and nozzle.



- · Draws pre-diluted chemical from any container
- Projects an extra-high volume of rich, clinging foam which increases chemical contact time and effectiveness
- Foaming expands the chemical and reduces over-application by providing visual assurance of coverage
- Heavy-duty metallic AODD pump with all stainless steel wetted components
- Teflon diaphragms
- Zero degree nozzle for up to 40' foam throw
- Covers up to 500 sq ft (46.5 sq m) in 40 seconds
- Adjustable foam consistency (wet/dry)
- Chemical resistant wetted components ensure durability and years of reliable service
- See other air-operated foamers and sprayers in Catalog 4

#### Includes

- All stainless steel 4-wheel cart with integrated hose rack
- Non-marking tires with stainless steel swivel casters
- Air inlet ball valve and regulator/filter
- 10' chemical suction tube with strainer
- 1" stainless steel AODD pump with Teflon diaphragms
- Machined polypropylene pump-fed foamer body
- 100' discharge hose, stainless steel ball valve, stainless steel foam wand & zero degree nozzle

# **APPLICATIONS**

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Vehicle Wash
- Industrial
- Military
- Paper Mill
- Pharm/Bio
- And Many Other Applications!



## **REQUIREMENTS**

Chemical Concentrate Static Tank of Water

Compressed Air up to 50 CFM

Hose 1" ID x 100'

Nozzle XV Foam Nozzle



www.laffertyequipment.com