517SS Sanitize / Rinse / LCSS Foam Hose Drop Station

MODEL # 915225SS

OVERVIEW

The 517SS Sanitize/Rinse/LCSS Foam Hose Drop Station is a combination applicator for applying one chemical as foam, another as a sanitizing spray and for rinsing. Dedicated hoses assure no cross mixing of foaming and sanitizing chemistry. This stainless steel venturi injection system uses standard city water pressure (35 - 125 PSI) to draw and blend chemical concentrates into the water streams to create accurately diluted solutions using precision metering tips to control chemical usage. Rich, clinging foam is created by injecting compressed air into the foaming solution to greatly increase volume and coverage ability. The foaming solution is then projected through the foam hose and fan nozzle at distances up to 12 feet. The sanitizer solution is projected as a "flooding" spray for fast complete coverage. Rinse at full pressure using the unique, powerful 4-hole nozzle.

Key Features

- Designed to foam, rinse and sanitize medium to large surfaces and objects
- Projects a medium volume of rich, clinging foam which increases chemical contact time and effectiveness
- Foaming expands the chemical and reduces over-application by providing visual assurance of coverage
- Fan pattern foam nozzle for fast coverage (up to 12' range)
- Covers up to 500 sq ft (46.5 sq m) in 2 minutes
- Adjustable foam consistency (wet/dry)
- Rinse at full pressure using the powerful 4-hole nozzle
 Dilutes concentrated sanitizers to the lean ratios required for
- Dilutes concentrated samilizers to the lean ratios required for no-rinse applications in food plants
- Sanitizer is projected as a "flooding spray"
- Stainless steel components ensure years of trouble-free performance
- Available with polypropylene bodies (#915225)

See other city water pressure foamers in Catalog 1

Includes

- Stainless steel mounting bracket
- Machined stainless steel foamer and sanitizer bodies
- Stainless steel inlet and discharge ball valves
- 20 color-coded precision metering tips to set dilution ratios
- 40' foam discharge hose, foam wand and fan nozzle
- 40' sanitize discharge hose, wand and fan nozzle
- 40' rinse hose and stainless steel 4-hole nozzle

OPTIONS

OF HONS	
Stainless Steel Hose Racks	
Large Stainless Steel Hose Rack	# 224150
Stainless Steel Jug Racks	
1 Gallon Round/Square	# 224200
1 Gallon Round/Square Locking	# 224200-L
2 ½ Gallon (8 ½" x 10 ½")	# 224210
5 Gallon Round/Square Locking (12" x 12")	# 224214
5 Gallon Round/Square (12" x 12")	# 224215
Alternate Check Valves - EPDM Standard	
Check Valve, Chemical, PP/Viton, 1/4"	# 491315
Check Valve, Air, SS/Viton, 1/4"	# 491306
Water Pressure Gauge	
Water Pressure Gauge, 3/4" Inlet	# 336348
Air Pressure Gauge	

· · · · · · · · · · · · · · · · · · ·	
Air Pressure Gauge, 1/4" Inlet (Upgrade Only)	# 336322

APPLICATIONS

- Food & Beverage
- Animal Health
 Industrial
- Pharm/Bio
- And Many Other Applications!



REQUIREMENTS

Chemical Concentrate

Water

Temperature Pressure Flow Supply Line	up to 180°F 35 to 125 PSI 7.2 GPM @ 40 PSI 3/4"
Compressed Air Hose Sanitize Rinse Foam	up to 3 CFM 3/4" ID x 40' 3/4" ID x 40' 3/4" ID x 40'
Nozzle Sanitize Rinse Foam	40100 4 Hole Rinse Nozzle 50250
Dilution Ratio Range @ 40 Sanitize Foam	PSI 1,234:1 to 11:1 306:1 to 6:1



1.501.851.2820 | 1.800.999.2820 www.laffertyequipment.com